

Heads Up!

Contrary to popular belief, most concussions do not involve a loss of consciousness. Here are some signs and symptoms of this traumatic brain injury to watch for.

June 2, 2015 By [Gerrie E. Summers](#)

Physical

- Headaches
- Nausea
- Vomiting
- Balance problems
- Dizziness
- Visual problems
- Fatigue
- Sensitivity to light
- Sensitivity to noise
- Numbness or tingling

Cognitive

- Feeling mentally foggy
- Feeling slowed down
- Difficulty concentrating
- Difficulty remembering
- Forgetting recent conversations or information
- Confusion about recent events
- Slow to answer questions and repeating questions

Emotional

- Irritability
- Sadness
- Depression
- Heightened emotions
- Nervousness
- Anger

Sleep

- Drowsiness or an inability to wake up
- Sleeping more than usual
- Sleeping less than usual
- Trouble falling asleep

Seek medical help immediately if you notice these dangerous signs:

- Loss of consciousness, even briefly
- Slurred speech or other changes in speech
- Weakness, numbness or decreased coordination
- Seizures, convulsions
- Vision or eye issues (pupils that are bigger than normal, or pupils of unequal size)
- Headaches that worsen and won't go away
- Lasting or recurring dizziness
- Repeated vomiting or nausea
- Obvious difficulty with mental function or with physical coordination
- Unusual behavior
- Large bumps or bruises in areas other than the forehead in children, especially infants younger than 12 months

If you have suffered a concussion, you should not return to play (or vigorous activities) on the

same day as the injury, or if you still have signs of a concussion. For more information, visit [cdc.gov/traumaticbraininjury](https://www.cdc.gov/traumaticbraininjury).

© 2026 Smart + Strong All Rights Reserved.

<http://beta.docker.realhealthmag.com/article/concussions-symptoms-27324-1237>